

Advances in Intelligent Systems and Computing

Volume 809

Series editor

Janusz Kacprzyk, Polish Academy of Sciences, Warsaw, Poland
e-mail: kacprzyk@ibspan.waw.pl

The series “Advances in Intelligent Systems and Computing” contains publications on theory, applications, and design methods of Intelligent Systems and Intelligent Computing. Virtually all disciplines such as engineering, natural sciences, computer and information science, ICT, economics, business, e-commerce, environment, healthcare, life science are covered. The list of topics spans all the areas of modern intelligent systems and computing such as: computational intelligence, soft computing including neural networks, fuzzy systems, evolutionary computing and the fusion of these paradigms, social intelligence, ambient intelligence, computational neuroscience, artificial life, virtual worlds and society, cognitive science and systems, Perception and Vision, DNA and immune based systems, self-organizing and adaptive systems, e-Learning and teaching, human-centered and human-centric computing, recommender systems, intelligent control, robotics and mechatronics including human-machine teaming, knowledge-based paradigms, learning paradigms, machine ethics, intelligent data analysis, knowledge management, intelligent agents, intelligent decision making and support, intelligent network security, trust management, interactive entertainment, Web intelligence and multimedia.

The publications within “Advances in Intelligent Systems and Computing” are primarily proceedings of important conferences, symposia and congresses. They cover significant recent developments in the field, both of a foundational and applicable character. An important characteristic feature of the series is the short publication time and world-wide distribution. This permits a rapid and broad dissemination of research results.

Advisory Board

Chairman

Nikhil R. Pal, Indian Statistical Institute, Kolkata, India
e-mail: nikhil@isical.ac.in

Members

Rafael Bello Perez, Universidad Central “Marta Abreu” de Las Villas, Santa Clara, Cuba
e-mail: rbellop@uclv.edu.cu

Emilio S. Corchado, University of Salamanca, Salamanca, Spain
e-mail: escorchado@usal.es

Hani Hagrass, University of Essex, Colchester, UK
e-mail: hani@essex.ac.uk

László T. Kóczy, Széchenyi István University, Győr, Hungary
e-mail: koczy@sze.hu

Vladik Kreinovich, University of Texas at El Paso, El Paso, USA
e-mail: vladik@utep.edu

Chin-Teng Lin, National Chiao Tung University, Hsinchu, Taiwan
e-mail: ctlin@mail.nctu.edu.tw

Jie Lu, University of Technology, Sydney, Australia
e-mail: Jie.Lu@uts.edu.au

Patricia Melin, Tijuana Institute of Technology, Tijuana, Mexico
e-mail: epmelin@hafsamx.org

Nadia Nedjah, State University of Rio de Janeiro, Rio de Janeiro, Brazil
e-mail: nadia@eng.uerj.br

Ngoc Thanh Nguyen, Wroclaw University of Technology, Wroclaw, Poland
e-mail: Ngoc-Thanh.Nguyen@pwr.edu.pl

Jun Wang, The Chinese University of Hong Kong, Shatin, Hong Kong
e-mail: jwang@mae.cuhk.edu.hk

More information about this series at <http://www.springer.com/series/11156>

Luigi Cocchiarella
Editor

ICGG 2018—Proceedings of the 18th International Conference on Geometry and Graphics

40th Anniversary—Milan, Italy,
August 3–7, 2018



ICGG
2018



POLITECNICO
MILANO 1863

 Springer

Editor

Luigi Cocchiarella
Department of Architecture and Urban
Studies—DASTU, School of Architecture
Urban Planning and Construction
Engineering—AUIC
Politecnico di Milano
Milan, Italy

ISSN 2194-5357 ISSN 2194-5365 (electronic)
Advances in Intelligent Systems and Computing
ISBN 978-3-319-95587-2 ISBN 978-3-319-95588-9 (eBook)
<https://doi.org/10.1007/978-3-319-95588-9>

Library of Congress Control Number: 2018948129

© Springer International Publishing AG, part of Springer Nature 2019

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by the registered company Springer International Publishing AG
part of Springer Nature
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Committees

Honorary Chairs

Otto Röschel, Outgoing President of the International Society for Geometry and Graphics—ISGG, Graz University of Technology, Austria

Vito Cardone, President in office of the Unione Italiana Disegno—UID, Università degli Studi di Salerno, Italy

Chair

Yasushi Yamaguchi, President in office of the ISGG, The University of Tokyo, Japan

Executive Chair

Luigi Cocchiarella, ISGG Director for Europe/Near East/Africa, Politecnico di Milano, Italy

Co-Chairs

Baoling Han, ISGG Vice-President for Asia/Australia/Oceania, Beijing Institute of Technology, China

Ema Jurkin, ISGG Vice-President for Europe/Near East/Africa, University of Zagreb, Croatia

Aura Conci, ISGG Vice-President for North America/South America, Universidade Federal Fluminense, Niteroi, Brazil

Steering Committee

Asia/Australia/Oceania

Hiroataka Suzuki, ISGG Secretary and Treasurer in office, Kobe University, Japan

Kenjiro Suzuki, Former ISGG President, Professor Emeritus, The University of Tokyo, Japan

Emiko Tsutsumi, Former ISGG President, Otsuma Women's University, Tokyo, Japan

Europe/Near East/Africa

Cornelie Leopold, Former ISGG Director, TU Kaiserslautern, Germany
 Hans-Peter Schröcker, ISGG Director, University of Innsbruck, Austria
 Hellmuth Stachel, Editor in Chief of the Journal for Geometry and Graphics—JGG,
 University of Technology Vienna, Austria
 Gunter Weiss, Former ISGG President, Technical University of Dresden, Germany

North America/South America

Ted Branoff, Former ISGG President, Illinois State University, Normal, USA
 Frank Maxfield Croft, The Ohio State University, Columbus, USA
 Eduardo Toledo Santos, ISGG Director, Sao Paulo University, Brazil

Program Committee***International Board***

Naomi Ando, Hosei University, Tokyo, Japan
 Gilson Braviano, President of the Associação Brasileira de Expressão Gráfica,
 Brazil
 Fabiana Carbonari, Universidad Nacional de La Plata, Argentina
 Larry Cooperman, University of California Irvine, USA, and Open Education
 Consortium
 Yüksel Demir, Istanbul Technical University, Turkey
 Magdalena Dragovic, University of Belgrade, Serbia
 Douglas Dunham, University of Minnesota, Duluth, USA
 Sergio Gavino, Universidad de La Plata, Argentina
 Georg Glaeser, University of Applied Arts, Vienna, Austria
 Sonia Gorjanc, University of Zagreb, Croatia
 Renata Gorska, Cracow University of Technology, Poland
 Marco Hemmerling, Cologne University of Applied Sciences, Germany
 Miklós Hoffmann, ISGG Director, Karoly Esterhazy College, Eger, Hungary
 Manfred Husty, University of Innsbruck, Austria
 Pedro António Janeiro, Universidade de Lisboa, Portugal
 Mine Özkar Kabakçioğlu, Istanbul Technical University, Turkey
 Michio Kato, The University of Tokyo, Japan
 Ashraf Khattab, Ain Shams University, Cairo, Egypt
 Kunio Kondo Tokyo University of Technology, Japan
 Rimvydas Krasauskas, Vilnius University, Lithuania
 Sonja Krasic, University of Nis, Serbia
 Daniel Lordick, Technical University of Dresden, Germany
 Daiva Makuteniene, Vilnius Gediminas Technical University, Lithuania
 Bhekie Mamba, University of South Africa, Pretoria, South Africa
 Michael Manevich, Ariel University Center of Samaria, Israel
 Kazuko Mende Joshibi, University of Art and Design, Tokyo, Japan
 Emil Molnar, Budapest University of Technology and Economics, Hungary
 Zhendong Niu, Beijing Institute of Technology, China

Boris Odehnal, Vienna University of Applied Arts, Austria
Marius Paun Transilvania, University of Brasov, Romania
José Ignacio Rojas Sola, Universidad de Jaén, Spain
Pawel Rubinowicz, West Pomerian University of Technology Szczecin, Poland
Peeraya Sripian ISGG Director, Shibaura Institute of Technology, Tokyo, Japan
Milena Stavric, Graz University of Technology, Austria
Tomohiro Tachi, ISGG Director, The University of Tokyo, Japan
Antonio Álvaro Tordesillas, Universidad de Valladolid, Spain
Susana Toscano, President of the Asociación Internacional de Matemática y
Diseño, Argentina
Daniela Velichova, Slovak University of Technology in Bratislava, Slovakia
Vera Viana, Universidade do Porto, Portugal
Krassimira Vlachkova, University of Sofia St. Kliment Ohridski, Bulgaria
Laszlo Voros, University of Pécs, Hungary
Srdjan Vukmirovic, University of Belgrade, Serbia
Norman Wildberger, ISGG Director, The University of New South Wales, Sydney,
Australia
Cheng Liang Yee, ISGG Director, Sao Paulo University, Brazil
Emil Zagar, University of Ljubljana, Slovenia
Paul Zsombor-Murray, ISGG Director, McGill University, Montreal, Canada

National Board

Salvatore Barba, Università degli Studi di Salerno
Stefano Bertocci, Università di Firenze
Andrea Bonarini, Politecnico di Milano
Monica Bordegoni, Politecnico di Milano
Fausto Brevi, Politecnico di Milano
Raffaella Brumana, Politecnico di Milano
Franca Caliò, Politecnico di Milano
Mario Centofanti, Università di L'Aquila
Michela Cigola, Università di Cassino o del Lazio Meridionale
Sara Comai, Politecnico di Milano
Ugo Cosentino, Università di Milano Bicocca
Antonella Di Luggo, Università degli Studi di Napoli Federico II
Ruggero Eugeni, Università Cattolica del Sacro Cuore
Federico Fallavollita, Alma Mater Studiorum Università di Bologna
Andrea Giordano, Università degli Studi di Padova
Simone Giostra, Politecnico di Milano
Gabriele Guidi, Politecnico di Milano
Serenio Innocenti, Università degli Studi di Brescia
Elena Ippoliti, Università degli Studi di Roma La Sapienza
Marcella Lorenzi, Università della Calabria
Elena Marchetti, Politecnico di Milano
Eugenio Morello, Politecnico di Milano
Roberto Notari, Politecnico di Milano

Ingrid Paoletti, Politecnico di Milano
Nicola Pisacane, Università degli Studi della Campania Luigi Vanvitelli
Andrea Rolando, Politecnico di Milano
Michela Rossi, Politecnico di Milano
Luisa Rossi Costa, Politecnico di Milano
Rossella Salerno, Politecnico di Milano
Laura Tedeschini Lalli, Università degli Studi Roma Tre
Graziano Mario Valenti, Università degli Studi di Roma La Sapienza
Maurizio Stefano Vianello, Politecnico di Milano

Organizing Board at Politecnico di Milano

Giuseppe Amoroso, Raffaele Ardito, Alessandro Bianchi, Federico Alberto Brunetti, Cecilia Maria Bolognesi, Giuliana Cardani, Camilla Casonato, Claudio Umberto Comi, Dario Angelo Maria Coronelli, Carlo De Falco, Nicole De Togni, Damiano Cosimo Iacobone, Maria Pompeiana Iarossi, Paola Magnaghi Delfino, Giampiero Mele, Marco Muscogiuri, Tullia Norando, Daniela Oreni, Daniele Giovanni Papi, Barbara Ester Adele Piga, Matteo Giuseppe Romanato, Tan Shilong Daniele Villa

Staff and Offices

Cristina Giannetto, Communication Staff
Gianluca Ferrante, Administration and Accounting Staff—DASTU
Gloria Paoluzzi, Department Manager—DASTU
Susanna Sancassani, Support Service for Research and Innovation Didactics—METID

Grant

ICGG 2018 has been granted by the Department of Architecture and Urban Studies (DASTU). Department Head, Prof. Gabriele Pasqui

This is the copy of the accepted manuscript of the article published in
ICGG – Proceedings 2018 of the 18th International Conference on Geometry and Graphics

40th Anniversary- Milan, Italy, August 3-7, 2018

Ed. Luigi Cocchiarella

ISBN 978-3-319-95588-9 (online)

The final publication is available **online from 07 July 2018**

https://doi.org/10.1007/978-3-319-95588-9_56

Copyrights are held by Springer International Publishing AG

As a part of Springer Nature 2019, the conference paper is published in
Advances in Intelligent Systems and Computing 809, pp.677-689,
2019

Triangular Proportional Scheme and Concept of the Two Serbian Medieval Churches

Magdalena Dragović^{1*}, Aleksandar Čučaković¹, Jelena Bogdanović², Svetlana Čičević³ and Aleksandar Trifunović³

¹ Faculty of Civil Engineering University of Belgrade, Serbia

² Iowa State University, USA

³ Faculty of Travel and Transportation, University of Belgrade, Serbia

*dim@grf.bg.ac.rs

Abstract. Serbian medieval architectural heritage is notable for its sacred architecture including numerous Christian Orthodox churches built at the territory of former Raška state during the period from the 12th to the 14th centuries. Built in the so-called Raška architectural style, characterized by overlapping features of Romanesque and Byzantine traditions, two monuments - the church of the Mother of God in Studenica monastery complex and the church of Holy Dormition in Žiča monastery complex, are exquisite sacred structures and cultural monuments of exceptional importance. They are also remarkable due to geometric-proportional regularities of their design. This paper highlights the importance of geometric concept in relation to proportional analysis of these two structures. Here presented study is conducted by two means: first one – by investigating geometric scheme with equilateral triangles, incorporated into the layout and cross section patterns of each church structure; the second one – by classical proportioning that includes proportional roots, golden section and numeric ratios.

Keywords: Medieval Churches, Proportional Scheme, Equilateral Triangle.

1 Introduction

One of the oldest theoretical questions in the history of architecture is about proportioning systems used in cultural heritage monuments. The design process in building and constructing churches developed over time, while master builders often relied on previous experiences and knowledge [1]. The lack of textual sources about knowledge of medieval architects and other reliable documentation prompts researchers to follow the roots of geometry and its application, far back in the ancient world and geometric exploration of Pythagoras, Plato, or Vitruvius, to whom we owe the first geometric and proportional rules applied in construction of spatial structures [2]. Since the first geometricians were mostly philosophers their overall knowledge affected instructions for the practical proportioning of built structures. In such context, relations between the nature, mathematics (especially geometry) and building were unbreakably bound-

ed, sometimes in the simplest way where measuring units corresponded to the parts of a human body ("feet", "thumb", "elbow", etc). Basic geometric shapes, such as circle, square, or regular polygons were often symbolically related to a human figure and proportioning. Renaissance period brought both Leonardo da Vinci's and Cesare Cesariano's interpretations of Vitruvian man – ideally proportioned human figure which became a matter of numerous discussions. While Leonardo's drawing of a man inscribed in circle and square was connected with golden section rules, which Murtinho disputed in 2016 [3], Evers and Thoenes recognized Cesariano's Vitruvian man (based on triangular construction) as reflection of medieval architectural practice [4]. There is a logical reason for such opinion, because Cesariano investigated proportions of Gothic cathedrals by applying *ad triangulum* principles [5]. However, geometric-architectural reasoning which highlights regular triangular scheme in Christian Orthodox churches design has survived up today [6], hence attributing its overarching character.

This paper investigates proportions of two Serbian medieval churches, which are related to the so-called *Raška* architectural school, by using two geometric means: regular geometric shapes – circle and equilateral triangle, and classical proportioning that included proportional roots, golden section and numeric ratios.

1.1 Historical frame and architectural concept of the two churches

The influence and contribution of Serbian Nemanjić dynasty was crucial for the development of medieval church architecture in former Raška state (currently located in the central part of Serbia). During the period between the second half of 12th until the first half of 14th centuries many churches were built with similar style characteristics, as single nave domed structures usually with three bays and with wide semicircular apses on the east side [7]. Although *Raška* school is like symbiosis of the *east-Byzantine* and *west-Roman* traditions, in majority of cases the influence of Byzantine tradition was perceived as being dominant regarding general structural concept [8]. By expanding upon the work by Štambuk [9] and Tomas [10] the authors question influences of both traditions with respect to proportions of two churches in the monasteries of Studenica and Žiča.

Both churches are under protection of the Institute for the protection of cultural monuments of Serbia as the monuments of exceptional importance. The church of the Mother of God in Studenica, an exquisite example of monumental sacred architecture, was built under local ruler Stefan Nemanja as his legacy - tomb church (built 1186-1205), while the church of the Holy Dormition of the Mother of God in Žiča monastery, later the seat of the archbishop, was built for the purpose of coronation of Nemanja's son Stefan (built 1206-1217).

Studenica's church has a rectangular shape in layout and unique interior architectural space divided by pilasters into three bays. A single nave domed structure with triformal altar geometry, square central core and rectangular narthex has asymmetrically positioned side vestibules, the latter of which was the novelty in Serbian medieval architectural program (Fig.1a). The architects of the church in Žiča introduced several changes as well: larger altar space, more opened central core and side chapels con-

nected to the narthex. Further design program of the complex church structures built in Arilje, Davidovica, or Gradac, was traced by such architectural concept. (Fig.1b)




Fig. 1. Architectural program of the two churches: Studenica – a); Žiča – b)

The elegance of the interior space, established in Studenica's design, remained in Žiča as well, because harmony of the spatial composition was conducted by proportions of their structural elements (Fig. 2).




Fig. 2. 3D models of the interior spaces of two structures: Studenica – a), Žiča – b)

2 Proportional analysis

2.1 Documentation sources

Contemporary research on "reverse engineering", i.e. 3D modeling of historical objects and structures utilized laser scanning and photogrammetry as reliable techniques for obtaining accurate technical data [11]. The latest results of proportional investigations of Gothic cathedrals confirmed significance of such accuracy [12]. Following the streamline of new measurement technique applications, results of the terrestrial laser scanning (TLS) performed at Studenica site are used for the current study.

Detailed and reliable documentation (drawings, descriptions and proportional analysis) for both selected churches were found in the monograph studies of Čanak Medić, Kandić and Bošković. The relevance of measuring units present in medieval Raška state is of the importance for the research which includes modular grid [13,14]. Point cloud data of the church exterior obtained by TLS in 2017 confirmed documentation accuracy. Layouts and sections of the churches in Studenica and Žiča show significant and high level performance of masons during building process, with respect to the other churches built on principles of Raška school. The accuracy of building techniques in medieval Serbia at the time varied depending on uncertainty of measuring tools, units and applied materials. Churches that were built of carved stone, especially marble (such as the one in Studenica), were significantly more accurate in obtaining right angles and parallel walls [15]. Annotation and drawings on point cloud deliverables provided for the church exterior in Studenica show neglectable deviation from regular rectangular geometry (Fig. 3).




Fig. 3. Representation of the parallelism and orthogonality of walls in Studenica (point cloud)

This accuracy opens the possibility to explore deeper connection of regular geometric shapes, such as circle, equilateral triangle and square in overall proportional system. By expanding upon the latest research concerning general compliance related to I. Štambuk's geometric construction [8] (three dominant Serbian medieval styles/schools are analyzed in [16,17]), geometric analysis is applied in layouts and sections of the Raška school architectural concept patterns.

The other aspect of proportions involves the common ratios applied in the ancient *antique* traditions (1:1; 1:2; $1:\sqrt{2}$; $1:\sqrt{3}$; golden mean - 1:1.61, etc.). Some of them are related to the proportional rectangles or proportional roots, derived from regular shapes: square, hexagon and pentagon (Fig. 4).




Fig. 4 Graphic representation: proportional roots – a); golden section – b)

Previous investigations [17], where specifications of structural elements were provided for both churches, continued in the form of parallel analysis of their proportions (in layouts and sections). For each functional unit/space inside architectural program, geometric approximation of proportions is provided.

2.2 Proportional analysis guided by regular polygons

Previous testing of the architectural pattern of Raška style [17] on Štambuk's *proportional canon* (two circles and equilateral triangle in strict geometric constraints), addressed to design and proportioning of the early roman churches, has shown several crucial results significant for current exploration:

- key points for *holy triangle*-equilateral triangle (ABC) positioning in the church layout and cross section are centers of the *apse* and the *dome*, respectively;
- the *holy triangle* defines interior/exterior width of the church nave;
- ratio $1:\sqrt{3}$ (regularity of I. Štambuk's construction) plays an important role in dimensioning of the altar and central space; it appears in proportioning of additional spaces beside the church nave (*pastophoria*, *choir* and *chapels*);
- ratio of the exterior rectangular frame **1234** is $1:\sqrt{3}$ (Fig.5a)
- position and dimensions of the key structural element - dome structure along with supportive arches is in compliance with *proportional canon* (Fig.5b);




Fig. 5a. Layout of Studenica's church with *proportional canon* [17]




Fig. 5b. Cross section of Studenica's church with *proportional canon* [17]

Comparative analysis of the layouts and sections of the two churches here presented points to strong similarity of geometric approach in their proportioning and design. The most important place of the church in liturgical sense is the altar table, which is in the center of the sanctuary. Geometric scheme introduced by Štambuk accents this point as crucial by setting the vertex C of the *holy triangle* at the center point of the *apse* (the position of the altar table). The following triangular construction starts from point C while establishing the relation of the basic – *holy triangle* and the length of the church nave.

In case of the layout of Studenica, the extension of the triangle CAB to CGH resulted in constraints with rectangle 1234 . By mirroring the shape of triangle CGH , shape of a rhomb appears as underlining geometry of the central part of the church. Additional triangle on the west end is of the same size as CAB (Fig.6a). Since the triangle CAB in the layout of Žiča is related to the width of the exterior nave, geometric scheme becomes more regular, considering double mirroring of the basic triangle along longitudinal church axis (Fig.6b).




Fig. 6. The *holy triangle* and proportioning scheme: layouts of Studenica – a) and Žiča- b)

An idea of inscribing regular polygons in circles in order to set the proportions of building components in Gothic architecture, as stated by Bork, brought a variety of geometric constructions [18]. While setting regular polygonal scheme, architectural composition has a framing and division role. The contours of walls (both in the interi-

or and exterior) or axes fit into the guiding geometric scheme [1]. Geometric key points have an important role in such dimensioning of objects. This section of the paper presents triangular scheme where guiding elements are top points of the apses and wall contours of the two churches which coincide with triangles vertexes and edges respectively. Dimensioning/measuring of the principal spaces along the longitudinal axes of the church is obtained by mirroring a single equilateral triangle (Fig.7).




Fig. 7. *Mirroring geometry* of equilateral triangles: Layouts of Studenica – a) and Žiča- b)

Interior division between *narthex*, *naos* and *altar* spaces is obtained by three equilateral triangles (depicted in orange color) starting from the interior edge of the west entrance wall in both layouts. Basic triangle edge is equal to the width of the nave interior ($a-2d$). Mirroring geometry of triangles ends exactly at the edge of the altar's inner wall. However, total length in case of Studenica's layout is *measured* by four triangles (depicted in gray color), where the first and the last ones' edge coincide with spatial division. The difference between two geometric schemes is probably due to the proportioning of the altar space. Dimensioning of joined altar and the central space in Žiča is conducted by exterior width of the nave (a), where the total length is $a\sqrt{3}$ (Fig.7).

Similar principles are applied in geometric schemes of the cross sections. Dimensioning of the central core, along with the dome structure is based primarily on in-

scribing the basic triangle into contours of the drum and the dome. Basic triangle edge is equal to the nave interior width ($a-2d$). Central space of Žiča perfectly corresponds to the scheme of three triangles set along the vertical axis of the structure, while obtaining mirroring geometry (Fig.8a). Although slightly different proportions of the lower part of the central core of Studenica appear (caused by corner pilasters), triangular geometry is harmonized with the width of central arches (Fig.8b).




Fig. 8. *Mirroring geometry* of triangles: cross sections of Studenica – a) and Žiča - b)

2.3 Proportional analysis of "empty" spaces by classical constructions

Beside general triangular proportional geometric scheme, which is presented both by Štambuk's proportional canon and by complementary triangular scheme, the analyses of the architectural composition are additionally considered in more classical geometric system. Geometric regularities of the three particular types: proportional roots, ratio expressed by whole numbers and golden mean ratio are examined. The approximation of values is adopted regarding inaccurateness of builders' performance regarding the interior or "empty" space. Proportioning of narthexes, first and central bays show significant resemblance in both layouts. Although the concept of the altar space is due to traditional influences (three-partite altar in Studenica; separate sanctuary and side *pastophoria* in Žiča), proportional ratio 1:2 appears both in *pastophoria* and *diakonikon /prothesis* (Fig.9). Golden mean ratio (1:1.618)¹ appears in dimensioning of altar, central core and side chapels which is expected, according to the meaning of these spaces in liturgical sense. Geometric analysis overall results, both in layouts and sections are presented in Table 1.

¹ The most common approximated value for expressing golden ratio is 1.618.



Fig. 9. Proportions of the interior spaces – layouts of Studenica –a) and Žiča-b)

Table 1. Two-dimensional proportional relations for selected interior - "empty" spaces

| LOCATION | FUNCTION | ŽIČA | | STUDENICA | |
|---------------|----------------------|----------------|---------------|----------------|---------------|
| | | Layout | Cross section | Layout | Cross section |
| Altar space | Sanctuary | $1:\sqrt{3}$ | $1:\sqrt{3}$ | 1:2 | $1:\sqrt{7}$ |
| | Diakonikon/Prothesis | 1:2 | $1:\sqrt{2}$ | $1:\sqrt{2}$ | $1:\sqrt{30}$ |
| Central space | Central core | 1:1 | 1: 1.618 | 1:1 | $1:\sqrt{2}$ |
| | 1 st isle | $1:\sqrt{3}/2$ | $1:\sqrt{3}$ | $1:\sqrt{3}$ | 1: 1.618 |
| | Vestibule/Choir | 1:1 | $1:\sqrt{3}$ | $1:\sqrt{2}$ | $1:\sqrt{7}$ |
| Narthex | Narthex | $1:\sqrt{3}/2$ | $1:\sqrt{3}$ | $1:\sqrt{3}/2$ | 1: 1.618 |
| | Side chapel | 1:1.618 | $1:\sqrt{5}$ | - | - |

3 CONCLUSION

Comparative analysis of proportions of two monumental Serbian medieval monastery churches guided by the two geometric means – regular geometric shapes and classical constructions of a ratio (proportional roots, golden mean, or numeric ratios), demonstrates the existence of regularities both in layouts and cross sections of the two selected structures. Characteristics of the so-called Raška style to which these two churches belong, are related to their architectural program and specifics of the struc-

tural parts of the church. Although majority of scholars who study Serbian art and architecture have already examined architectural composition, massing, structural elements, or medieval measuring units applied on diverse monuments belonging to specific style group, geometric analysis accompanied by drawings are rather rare. Hence, this current work contributes in terms of detailed geometric analysis, supported by point cloud data, and with adequate graphic representation.

The two churches in Studenica and Žiža monasteries, although differing in architectural program and building purposes, have several characteristics in common regarding their proportions:

- triangular geometric schemes are inscribed in layouts, where three equilateral triangles by *mirroring* geometry (along the longitudinal axis) “measure” the length of the church nave;
- triangular geometry when inscribed in cross sections “measures” the total height of these two churches: a single equilateral triangle is the measure of a dome structure (cupola and drum joined), while two triangles in vertical *mirroring* geometry “measure” supportive structure of the central cores;
- layout proportioning of the *narthex* ($1:\sqrt{3}/2$), 1st bay ($1:\sqrt{3}$), central core (1:1) and *pastophoria* (1:2) reveal the use of the classical constructions of a ratio;
- proportioning of the central core by golden mean points to the significance of the underlying structure of the dome [19]

The importance of this research lays in its practical results which can be verified or questioned on a larger sample of monuments. The other possible application of the results can be used for developing valuable proportional data for the restoration or reconstruction of ruined monuments [20,21]. Moreover, in larger historical context, such data widen our knowledge about medieval architects and their designs.

4 Acknowledgements

The authors would like to thank Serbian Orthodox Church - Eparchy of Žiža for blessings and research permissions; brotherhood of the monastery Studenica for the hospitality and blessings; David Lingle Fellowship at Iowa State University, Ministry of Education, Science and Technological Development (TR 36008) and Ministry of Culture and Information of Serbia for financial support; Central Institute for Conservation in Belgrade for technical support; project colleagues Marko Pejić and Leslie Forehand for the research material. Without all of them this study would not be possible.

5 References

1. Petrović, N.: Proportions and Dimensions of Churches' Layouts in Iustiniana Prima, *Stari nar VII-VIII*, pp.165-171 (1956/57)
2. Suppes, P.: Rules of Proportion in Architecture, *Midwest Studies in Philosophy* 16 (1), pp. 352-358 (1991)

3. Murtinho, V.: Leonardo's Vitruvian Man Drawing: A New Interpretation Looking at Leonardo's Geometric Constructions, *Nexus Network Journal* 17 (2), pp. 507-524 (2015)
4. Evers, B., Thoenes, C.: *Architectural Theory: From the Renaissance to the Present*, Köln, Taschen (2003)
5. Čanak-Medić, M.: Design and Construction Procedures of Ancient Builders, Scientific Symposium on Development of the Sciences in the Field of Civil Engineering and Geodesy in Serbia, *Građevinska knjiga*, pp. 29-50, Belgrade (1996)
6. Manić, B., Vasiljević Tomić, D., Niković, A.: Contemporary Serbian Orthodox Church Architecture: Architectural Competitions Since 1990, *Spatium* 35, pp. 10-21 (2016)
7. Nenadović, S. M.: *The Architecture in Yugoslavia from IX to XVIII Centuries*, 2nd ed., Naučna knjiga, Belgrade (1987)
8. Krautheimer, R., Ćurčić, S.: *Early Christian and Byzantine Architecture*, *Građevinska knjiga*, Belgrade (2008)
9. Štambuk, I.: Forgotten Proportions: The Canon for Building Churches, *Contributions to the History of the Island Hvar*, XI, pp. 91-109 (2002)
10. Tomas, I.: St. Mary's Church in the Island of Mljet and its Links with Apulian Romanesque Monuments, *Prostor*, 2(42) 19, pp. 296-309 (2011)
11. Murphy, M., McGovern, E., Pavia, S.: Historic Building Information Modelling: Adding Intelligence to Laser and Image Based Surveys. *ISPRS Journal of Photogrammetry and Remote Sensing* 76, pp. 89-102 (2013)
12. Bork, R.: The Geometry of Bourges Cathedral, *Architectural Histories*, 2(1): 24, pp.1-4, Supplement 1 (2014)
13. Čanak-Medić, M., Kandić, O.: The Monuments of the Serbian Medieval Architecture. *Corpus of Sacral Buildings: Architecture of the 1st half of 13th Century I, The Churches in Raška*, National Institute for Protection of Cultural Monuments of Serbia, Belgrade (1995)
14. Čanak-Medić, M., Bošković, Đ. The Monuments of the Serbian Medieval Architecture. *Corpus of Sacral Buildings: Architecture of Nemanja's Time I. National Institute for Protection of Cultural Monuments of Serbia*, Belgrade (1986)
15. Nenadović, S. M.: *Building techniques in medieval Serbia*, Prosveta, Belgrade (2003)
16. Dragović, M., Čučaković, A.: Parametric Research of Serbian Medieval Structures, in *Proceedings of 71st Ann. Conf. of the SAH*, St. Paul, Minnesota, USA, pp.142 (2018)
17. Dragović, M., Čučaković, A., Pejić, M., Srećković, M.: The Language of Proportions in the Parametric Frame: Exquisite Serbian Medieval Churches of Raška Style, forthcoming at 6th MoNGeometrija Int. Conf. on Geometry and Graphics, Novi Sad, Serbia (2018)
18. Bork, R.: Dynamic Unfolding and the Conventions of Procedure: Geometric Proportioning Strategies in Gothic Architectural Design, *Architectural Histories*, 2 (1), Art. 14 (2014)
19. Bogdanović, J.: The Architectural Design of the Church of St. George in Budimlja and Medieval Building Practices in Đurđevi Stupovi and Eparchy of Budimlja, ed. B. Todić, *Berane-Belgrade: Bishopric of Budimlja and Nikšić*; Institute of Art History Belgrade; Museum of Polimlje, pp. 95-105 (2012)
20. Čučaković, A., Dragović, M., Pejić, M., Srećković, M., Pandžić, J.: The Possibilities of Application of 3D Digital Models in Cultural Heritage Object Protection and Reconstruction. In *Proceedings of 5th MoNGeometrija - Int. Conf. on Geometry and Graphics*, pp. 434-443, Belgrade, Serbia (2016)
21. Dragović, M., Čučaković, A., Srećković, M.: Geometric Approach to the Revitalization Process of Medieval Serbian Monasteries. In *Proceedings of 13th BALTGRAF Int. Conf. on Engineering and Computer Graphics*, Vilnius, Lithuania, pp. 47-53 (2015)